

## VIGOUR – SURE

is a natural source of nutrients, organic acids and natural energy supplements for plants.



The carefully selected components in **VIGOUR – SURE** and its breakdown products will stimulate plant roots and beneficial micro-organisms while the energy supplements will help the plant through stressful conditions.

### BENEFITS

Registered under Act 36 of 1947 (B4965)

**Nutrition** – Vigour-sure serves as an energy source for plants and beneficial soil micro-organisms.

**Chelation** – organic acids in Vigour - Sure are effective natural chelating agents that can improve the uptake of fertilizers. Natural chelating agents can facilitate extended nutrient assimilation by crop roots and can enhance the availability of plant nutrients under soil conditions where the nutrients would otherwise have become locked up in the soil and remained unavailable for crop root assimilation.

**Energy building** – Vigour-Sure supports the energy balance of plants by providing building blocks for the manufacturing of ATP molecules.

**Enhanced quality** – Vigour-Sure can result in an improvement of the quality and shelf-life of fruit and vegetables. Promotes the ripening and colouring of fruit.

**Soil reconditioning** – organic acids in Vigour-Sure can modify the water repelling surface areas of hydrophobic soils and can loosen soil compaction layers, resulting in improved water penetration, better soil aeration and improved root penetration.



### PACKAGING

5 L, 25 L, 1000 L  
Product Code: Vig01





## APPLICATION RATES

### FOLIAR SPRAY:

#### Vegetables & Leafy Greens

Apply as a 1% spray solution (dissolve 1 L Vigour-Sure in 100 L of water) at an application rate of up to 10 Liter Vigour-Sure per ha (Up to 1000 liter/ha of a 1% solution) as an energy source or 500 mL/ha as a chelating agent. Apply at flowering, then repeat fortnightly. For Leafy greens: apply at 5th leaf, repeat in 2 weeks.

#### Orchards & Vineyards

Application rates as above. Apply at flowering, fruit set and once during fruit-fill or as required.

#### Ornamentals & Turf

Application rates as above. Apply every 4 weeks or as required.

#### Broad acre Crops

300 mL – 1 L/ha Vigour-Sure in 60 – 100 L water, depending on canopy closure. Do not exceed a concentration of 1 L Vigour-Sure per 100 L water. Apply once or twice prior to flowering.

#### Pasture

300 mL – 1 L/ha Vigour-Sure in 60 – 100 L water. Do not exceed a concentration of 1 L Vigour-Sure per 100 L water. Apply as required.

#### Spot-Spraying

Dilute 50 mL Vigour-Sure per 10 L water. Apply 200ml to 400ml solution per square meter.

### FERTIGATION:

10 L/ha as an energy source or 2 L/ha as a chelating agent.

### HOME GARDEN APPLICATION:

Dilute 15 mL Vigour-Sure in a 9 L watering can and apply the diluted mix at a rate of 1 litre per square metre. Apply fortnightly or as required.

## COMPANY DETAILS:

**Wolseley Liquids CC**  
( reg. no. 2010/018108/23 )

57 Eufeess street, Wolseley, 6830. Western  
Cape Province, South Africa

**Phone** +27 23 231 0454  
**Fax** +27 86 768 0374

admin@wolseleyliquids.com  
[www.wolseleyliquids.com](http://www.wolseleyliquids.com)

## TYPICAL ANALYSIS W/V

Potassium	3.4 g/kg
Fulvic Acid Content	13%
pH	3.2
SG	1.02
Appearance	Amber Liq

## INSTRUCTIONS

**Shake or stir well before use.** Where higher water rates are required for good foliar coverage, do not exceed maximum product rate per hectare. Sensitive foliage or plants should be test sprayed prior to full scale application. Frequencies are a guideline only and can be adjusted according to farm practices and/or in conjunction with crop monitoring. Ensure suitable spray conditions (e.g. temperature, humidity, wind speed), prior to foliar application. Compatibility and/or performance cannot be guaranteed when combined with other products. Jar test for compatibility and spray test on small area before wide-spread use.

## STORAGE & HANDLING

Store in a cool dry area out of direct sunlight. This product has been tested to store safely down to 5°C. Crystallisation or sedimentation may occur below 5°C. Do not pre-mix or store in diluted form. Seal lid/cap immediately after use to prevent contamination of airborne microbes.

**Disclaimer:** Any recommendations provided by 'Wolseley Liquids CC' or its Distributors are advice only. As no control can be exercised over storage, handling, mixing, application or use, or weather, plant or soil conditions before, during or after application (all of which may affect the performance of our program), no responsibility for, or liability for any failure in performance, losses, damages, or injuries (consequential or otherwise), arising from such storage, mixing, application, or use will be accepted under any circumstances whatsoever. The Buyer assumes all responsibility for the use of any 'Wolseley Liquids CC' products.

## DISTRIBUTOR INFO: